Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 **Version number 15** **Revision: 10/05/2026**

1 Identification

· **Product identifier**

· **Trade name:** **Okalift SuperChange Klebstoff**
· **Other means of identification**
· **Application of the substance / the mixture** **Adhesive for Okalift Superchange fabric**

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:** **Kiesel Bauchemie GmbH & Co. KG**
Wolf-Hirth-Str. 2
D-73730 Esslingen
Germany
E-Mail:
info.canada@cemex.com
info.usa@cemex.com

· **Information department:** **Laboratory, departments of enviromental protection and labor protection**
· **Emergency telephone number:** **ChemTel Expert Assiatance Hotline 800-255-2824**

2 Hazard identification

· **Classification of the substance or mixture** **The product is not classified, according to the Globally Harmonized System (GHS).**

· **Label elements**
· **GHS label elements** **Void**
· **Hazard pictograms** **Void**
· **Signal word** **Void**
· **Hazard statements** **Void**

· **Information pertaining to particular dangers for man and environment:**
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 1
Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = *0
Fire = 1
Reactivity = 0

3 Composition/Information on ingredients

· **Composition/Information on ingredients** .
· **Chemical characterization: Mixtures**

· **Dangerous components:**

CAS: 14808-60-7	**Quarzsand**	**30-60% w/w ***
	Carcinogenicity - Category 1A, H350	

*** Actual concentration ranges are withheld as a trade secret.**

(Contd. on page 2)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 Version number 15 Revision: 10/05/2026

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 1)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

· General information: No special measures required.
If you feel unwell, seek medical advice.
· After inhalation: Seek medical treatment in case of complaints.
· After skin contact: Generally the product does not irritate the skin.
· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing: Rinse out mouth, do not induce vomiting, seek medical help immediately.
Do not administer home remedies (milk, alcohol, oil, etc.).
Show the package or label to the attending physician.
· Most important symptoms and effects, both acute and delayed: No further relevant information available.
· Indication of any immediate medical attention and special treatment needed: No further relevant information available.

5 Fire-fighting measures

· Extinguishing media
· Suitable extinguishing agents: CO_2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.
Use fire fighting measures that suit the environment.
· For safety reasons unsuitable extinguishing agents: Water with full jet
· Special hazards arising from the substance or mixture: During heating or in case of fire poisonous gases are produced.
No further relevant information available.
· Advice for firefighters
· Protective equipment: Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures: Not required
· Environmental precautions: Dilute with plenty of water.
· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 Version number 15 Revision: 10/05/2026

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 2)

· Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling No special measures required.
· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities
· Storage:
· Requirements to be met by storerooms and receptacles: No special requirements.
· Information about storage in one common storage facility: Not required
· Further information about storage conditions: None.
· Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

· Control parameters
· Components with limit values that require monitoring at the workplace:

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls
· Appropriate engineering controls No further data; see section 7.
· Personal protective equipment:
· General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
· Breathing equipment: Suitable respiratory protection for low concentrations or short-term exposure: particle filter EN 143 type P2 (medium retention capacity (solid and liquid pollutant particles))
Not necessary if room is well-ventilated.
Normally no personal respiratory protection required.
· Protection of hands: Not required
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
· Eye protection: Not required

(Contd. on page 4)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 Version number 15 Revision: 10/05/2026

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 3)

*
9 Physical and chemical properties

· Information on basic physical and chemical properties	
· Physical state	Liquid
· Color:	White
· Odor:	Recognizable
· Odor threshold:	Not determined
· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	100 °C
· Flammability:	Not applicable
· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	>100 °C
· Decomposition temperature:	Not determined
· pH-value at 20 °C:	8
· Viscosity:	
· Kinematic:	Not determined
· Dynamic at 20 °C:	10,000 mPas
· Solubility in / Miscibility with	
· Water:	Partly miscible.
· Partition coefficient (n-octanol/water):	Not determined
· Vapor pressure at 20 °C:	23 hPa
· Vapor pressure:	
· Density at 20 °C:	1.55 g/cm³
· Relative density	Not determined
· Vapor density	Not determined
· Particle characteristics	Not applicable

· Other information	
· Appearance:	
· Form:	Paste
· AUTO IGNITION:	Not self igniting
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	23.4 %
· VOC-Content	0.00 % 0.0 g/l / 0.00 lb/gal
· Solids content:	61.2 %
· Volatile Organic Compounds	0.0 g/l 0.00 %
· Change in condition	
· Evaporation rate	Not determined

10 Stability and reactivity

· Reactivity	No further relevant information available.
· Chemical stability	
· Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.

(Contd. on page 5)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 Version number 15 Revision: 10/05/2026

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 4)

· Possibility of hazardous reactions: No dangerous reactions known.
· Conditions to avoid: No further relevant information available.
· Incompatible materials: No further relevant information available.
· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects
· Acute toxicity:
· Primary irritant effect:
· on the skin: No irritant effect.
· on the eye: No irritating effect.
· Sensitization: No sensitizing effects known.
· Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 9003-53-6	Polystyrol	3

· NTP (National Toxicology Program)
None of the ingredients is listed.

12 Ecological information

· Toxicity
· Aquatic toxicity: No further relevant information available.
· Persistence and degradability No further relevant information available.
· Bioaccumulative potential No further relevant information available.
· Mobility in soil No further relevant information available.
· Results of PBT and vPvB assessment
· PBT: Not applicable
· vPvB: Not applicable
· Other adverse effects
· Additional ecological information:

· General notes: Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· Waste treatment methods
· Recommendation: Disposal in accordance with official regulations

(Contd. on page 6)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 **Version number 15** **Revision: 10/05/2026**

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 5)

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**	
· **DOT/TDG, ADR, ADN, IMDG, IATA**	Void
· **UN proper shipping name**	
· **DOT/TDG, ADR, ADN, IMDG, IATA**	Void
· **Transport hazard class(es)**	
· **DOT/TDG, ADR, ADN, IMDG, IATA**	
· **Class**	Void
· **Packing group**	
· **DOT/TDG, ADR, IMDG, IATA**	Void
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable
· **Transport/Additional information:**	Not dangerous according to the above specifications.
· **Special precautions for user**	Not applicable
· **UN "Model Regulation":**	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 355 (extremely hazardous substances):**
None of the ingredient is listed.

· **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

CAS: 7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
CAS: 9003-53-6	Polystyrol	ACTIVE
CAS: 471-34-1	Calciumcarbonat	ACTIVE
CAS: 25322-69-4	Polypropylenglycol	ACTIVE
CAS: 94-28-0	2,2-Ethylendioxydiethyl bis(2-ethylhexanoat)	ACTIVE
CAS: 9049-76-7	Modifizierte Stärke	ACTIVE

· **MAK (German Maximum Workplace Concentration)**
None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet
according to HPR, Schedule 1

Date of issue 10/23/2026 **Version number 15** **Revision: 10/05/2026**

Trade name: Okalift SuperChange Klebstoff

(Contd. of page 6)

· **Per- and polyfluoroalkyl substances (PFAS)**

None of the ingredients is listed.

· **GHS label elements** Void
· **Hazard pictograms** Void
· **Signal word** Void
· **Hazard statements** Void
· **National regulations:**
· **Information about limitation of use:** Employment restrictions concerning young persons must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's harzards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use, or reliance in this information, nor do we guarantee its accuracy or completeness.

· **Relevant phrases** H350 May cause cancer.
· **Date of previous version** 09/14/2023
· **Version number of previous version:** 14
· **Date of preparation** 10/23/2026
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
· * Data compared to the previous version altered.